

Maxima sliding door - Maxima collection

design Bartoli Design



Wooden sliding door available in all woods of the collection, with Maxima carving on both sides.

Wooden handle hollowed out in the door thickness and aluminium rail covered in the same finish as the door.

BD 16 SM is also available with the middle

panel in glass. It is also available in the single leaf or double leaf versions.



Porta scorrevole in legno disponibile in tutte le essenze della collezione, con scolpitura Maxima su entrambi i lati.


Maniglia in legno scavata nello spessore della porta e binario in alluminio nella stessa finitura della porta.

BD 16 SM è disponibile anche con il pannello centrale realizzato in vetro.

La porta è inoltre disponibile nella versione porta singola o porta doppia.




_range



BD 16 SM sliding door - porta scorrevole porte coulissante - Schiebetür - раздвижная дверь

_dimensional limits




Dimensions in centimeters.

The right to discontinue and make changes is reserved.

This information is based on the latest product information available at the time of printing.




_range



BD 16 SME sliding door with glass panel porta scorrevole con pannello in vetro porte coulissante avec panneau en verre - Schiebetür mit Glasscheibe распашная дверь со стеклянной панелью

_dimensional limits



Dimensions in centimeters.


The right to discontinue and make changes is reserved.

This information is based on the latest product information available at the time of printing.




_details


handle hollowed out in the door thickness



detail 1



door section




Dimensions in millimeters.




_details


handle hollowed out in the door thickness with glass middle panel



detail 2



door section




Dimensions in millimeters.




_dimensions


single sliding door with doorframe door aligned with the covers



double sliding door with doorframe door aligned with the covers




vertical section




legend

A = opening widthB = covering dimensionsC = door	D - 90 mm D + 260 mm D + 260 mm
D = door wayE = doorframe dimensions	D - 20 mm
A1 = opening width B1 = covering dimensions C1 = door D1 = door way	D1 - 53 mm D1 + 27 mm D1 - 48 mm
E1 = doorframe dimensions F1 = dimensions with cover	D1 - 18 mm D1 + 55 mm


single sliding door without doorframe



double sliding door without doorframe



vertical section



legend

A = opening width	D
C = door	D + 50 mm
D = door way	

- 4 mm
+ 100 mm


_Dimensions in millimeters.

The right to discontinue and make changes is reserved.

This information is based on the latest product information available at the time of printing.



_details



Dimensions in millimeters.


The right to discontinue and make changes is reserved.


This information is based on the latest product information available at the time of printing.



_dimensions wall installation

door section with one way rail





Dimensions in millimeters.


The right to discontinue and make changes is reserved.


This information is based on the latest product information available at the time of printing.



_dimensions
ceiling installation

door section with one way rail





Dimensions in millimeters.


The right to discontinue and make changes is reserved.


This information is based on the latest product information available at the time of printing.



_dimensions
ceiling built-in installation

door section with one way rail





Dimensions in millimeters.

The right to discontinue and make changes is reserved.


This information is based on the latest product information available at the time of printing.




_dimensions

ceiling built-in installation with doorframe

door section for doorframe "Scrigno" mod. "Base"



door section for doorframe "Eclisse" mod. "Unico"



Dimensions in millimeters.

The right to discontinue and make changes is reserved.


This information is based on the latest product information available at the time of printing.




_dimensions

wall installation with doorframe

door section with one way rail





Dimensions in millimeters.

The right to discontinue and make changes is reserved.


This information is based on the latest product information available at the time of printing.




_special case

sliding door with wall panels and doorframe


single sliding door



double sliding door



vertical section



Dimensions in millimeters.

The right to discontinue and make changes is reserved.


This information is based on the latest product information available at the time of printing.




_special case

"poket" sliding door with wall panels and doorframe

single sliding door




vertical section



Dimensions in millimeters.




_details section of the door



Dimensions in millimeters.



_materials & finishes Maxima carved woods



The finishes shown are indicative and refer to the entire production range. Laurameroni reserves the right to modify the range without warning.



_handles



Recessed satin steel handle



Recessed satin steel handle with lock



maintenance

WOOD

To maintain the natural wood features and protect them from mechanical and chemical wear, the veneered surfaces are coated with a high-quality transparent varnish. Do not use acid or alkaline detergents, agents with bleaching additives, abrasive powders, steel wool, sponges or the like. Anything hot or humid can cause surface damage. Remove dirt and liquids immediately.

immediately.
For the cleaning and care, it is best to use a soft, dry cloth. If necessary, the cloth can be slightly dampened and dipped in neutral detergent thoroughly diluted in water. The cloth should only be slightly damp to avoid discoloration or swelling of the surface. Finally, it is essential to gently rub dry surfaces, so that there is no residual moisture.

LEGNO

Per mantenere il carattere naturale del legno e proteggerlo dall'usura meccanica e chimica, le superfici impiallacciate sono rivestite con una vernice trasparente di alta qualità. Non usare detergenti acidi o alcalini, agenti con additivi sbiancanti, polveri abrasive, lana d'acciaio, spugne o simili. Qualsiasi cosa calda o umida può causare danni alla superficie. Rimuovere immediatamente sporco e liquidi. Per la pulizia e la cura, è preferibile utilizzare un panno morbido e asciutto. Eventualmente il panno può essere leggermente inumidito ed intinto in detergente neutro abbondantemente diluito in acqua. Il panno deve essere solo leggermente umido, per evitare scolorimenti o rigonfiamenti della superficie. È infine essenziale strofinare gentilmente le superfici asciutte, in modo che non sussista umidità residua.



LAURAMERONI s.r.l.
22040 Alzate Brianza (Como)
Via Manzoni, 2784
T +39 031 761450
info@laurameroni.com
www.laurameroni.com

